EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S70	2	"20050228250".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 14:27
S71	2	"20050251021".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 14:27
S72	4	(S70 S71)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 14:27
S73	1249	345/619.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/28 08:52
S74	258	345/620.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/28 08:52
S75	52	345/621.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/28 08:52
S76	128	345/622-624.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/28 08:52
S77	55	345/642.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/28 08:53
S78	181	345/643.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/28 08:53

S79	40	345/644.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/28 08:53
S80	32	345/645.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/28 08:53
S81	202	345/672.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/28 08:53
S82	47	345/676.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/28 08:53
S83	20	345/677.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/28 08:53
S84	18	345/678.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/28 08:53
S85	37	345/679.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/28 08:53
S86	13	345/680.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/28 08:54
S87	901	715/517.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/28 09:54
S88	6	("20050251021" "20050228250" "6016438").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/29 08:58

EAST Search History

S89	631	700/95.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/28 10:19
S90	343	700/96.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/28 10:19
S91	904	700/97.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/28 10:19
S92	430	700/98.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/28 10:32
S93	248	virtual adj fold$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/28 10:33
S94	1	S93 same layout	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/28 10:34
S95	64	S93 same view$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/28 10:34
S96	39	S93 and layout	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/28 10:34
S97	11	S95 and S96	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/28 10:36
S98	28	S96 not S97	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/28 10:40

EAST Search History

S99	3	S93 same proximity	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/28 10:40
S100	50	S95 not (S97 S98 S99)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/28 10:40
S101	4	(S95 not (virtual adj folder)) not (S97 S98 S99)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/28 10:43
S102	209	fold$4 with view$ with layout	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/28 11:07
S103	21	S102 and (new different) near3 layout	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/28 11:10
S104	3254	(creat$4 mak$4 generat$4) near2 (new different additional second) near2 (layout view)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/28 11:13
S105	113	S104 same window	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/28 15:59
S106	22	S105 same ((multipl$4 multiplicit$4 plural$4 pluralit$4 several two three second) near2 (view layout draw$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/28 11:14
S107	3818	(creat$4 mak$4 generat$4) near2 (new different additional second) near2 (layout view drawing)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/28 15:45
S108	148	S107 same window	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/28 11:14

S10 9	1360	S107 same ((multipl$4 multiplicit$4 plural$4 pluralit$4 several two three second) near2 (view layout draw$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/28 11:14
S11 0	25	S108 same ((multipl$4 multiplicit$4 plural$4 pluralit$4 several two three second) near2 (view layout draw$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/28 15:59
S11 1	3030	(S73 S74 S75 S76 S77 S78 S79 S80 S81 S82 S83 S84 S85 S86 S87)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/28 11:14
S11 2	43	Woods-E$.xa,xp.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/28 12:11
S11 3	3852	(creat$4 mak$4 generat$4) near2 (new different additional second subset) near2 (layout view drawing)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/28 15:45
S11 4	213	(first initial main) near (layout view drawing) same S113	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/28 15:46
S11 5	2	subset near2 view same layout same window	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/28 15:47
S11 6	8	S114 same subset not S115	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/28 15:49
S11 7	14	S114 and subset same (view layout) not (S115 S116)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/28 15:52
S11 8	10	S114 and subset not (S115 S116 S117)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/28 15:53

S11 9	1249	345/619.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/28 15:53
S12 0	258	345/620.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/28 15:53
S12 1	52	345/621.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/28 15:53
S12 2	128	345/622-624.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/28 15:53
S12 3	55	345/642.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/28 15:53
S12 4	181	345/643.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/28 15:53
S12 5	40	345/644.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/28 15:53
S12 6	32	345/645.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/28 15:53
S12 7	202	345/672.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/28 15:53
S12 8	47	345/676.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/28 15:53

S12 9	20	345/677.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/28 15:53
S13 0	18	345/678.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/28 15:53
S13 1	37	345/679.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/28 15:53
S13 2	13	345/680.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/28 15:53
S13 3	901	715/517.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/28 15:53
S13 4	3030	(S119 S120 S121 S122 S123 S124 S125 S126 S127 S128 S129 S130 S131 S132 S133)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/28 15:53
S13 5	6	S114 and S134	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/28 15:59
S13 7	2679	((multipl$4 multiplicit$4 plural$4 pluralit$4 several two three second) near2 (view layout draw$4 frame)) same ((first main initial starting) near2 (view layout draw$4 frame)) same window	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/28 16:01
S13 8	8	S137 same (differ$4 chang$4 vary$4 alter$4 small$4 reduc$5) near4 (view window layout frame object) with (group quantity)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/28 16:04

S13 9	32	S137 same (differ$4 chang$4 vary$4 alter$4 small$4 reduc$5) near4 (view window layout frame object) with (group quantit$4 number amount)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/28 16:03
S14 0	24	S139 not S138	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/28 16:07
S14 1	25	S137 and S134	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/28 16:08
S14 2	183	first near2 (group set collection) near2 view same (second subset) near2 view	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/29 09:04
S14 3	1	S142 same layout	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/29 09:00
S14 4	33	S142 and layout not S143	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/29 09:00
S14 5	5	first near2 (group set collection) near2 view same filter$4 with (second subset) near2 view	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/29 09:04
S14 6	5	first near2 (group set collection) near2 view same (second subset) near2 view same filter$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/29 09:09
S14 7	5	first near2 (group set collection layout) near2 view same (filter$4 distill$4 ((drill$4 adj down) "drill-down")) same (second subset smaller) near2 view	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/29 09:11
S14 8	5	(initial main master first) near2 (group set collection layout) near2 view same (filter$4 distill$4 ((drill$4 adj down) "drill-down")) same (second subset smaller) near2 view	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/29 09:29

S14 9	16	(US-20060106757-$ or US-20060188137-$ or US-20020054142-$).did. or (US-6085202-$ or US-6564246-$ or US-6104401-$ or US-5917483-$ or US-5852442-$ or US-5847708-$ or US-5555369-$ or US-5990897-$ or US-5701403-$ or US-6078308-$ or US-5428715-$ or US-5544301-$ or US-6344862-$).did.	US-PGPUB; USPAT	OR	ON	2006/11/29 09:12
S15 1	12	(initial main master first) near2 (group set collection layout context) near2 view same (filter$4 distill$4 ((drill$4 adj down) "drill-down") sort$4) same (second subset smaller) near4 (view context)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/29 09:16
S15 2	7	S151 not S148	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/29 09:13
S15 3	12	(initial main master first) near2 (group set collection layout context) near2 view same (filter$4 distill$4 ((drill$4 adj down) "drill-down") sort$4) same (second subset smaller) near4 (view context layout)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/29 09:16
S15 4	12	(initial main master first) near2 (group set collection layout context) near2 view same (filter$4 distill$4 ((drill$4 adj down) "drill-down") sort$4) same (second subset smaller sub-set) near4 (view context layout)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/29 09:23
S15 5	4	first near3 (layout context) same second near3 (layout context) same (group set collection) near2 (view)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/29 09:25
S15 6	41	(layout context) same subset near2 view	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/29 09:26
S15 7	21	S156 and image	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/29 09:27

S15 8	20	S156 not S157	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/29 09:27
S15 9	35	(initial main master first) near2 (group set collection layout) near2 view same (filter$4 distill$4 ((drill$4 adj down) "drill-down") select$4) same (second subset smaller) near2 view	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/29 09:56
S16 0	120	(initial main master first) near2 (group set collection layout) near2 view same (filter$4 distill$4 ((drill$4 adj down) "drill-down") select$4) with view	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/29 09:29
S16 1	11076	((multipl$4 multiplicit$4 plural$4 pluralit$4 several two three second) near2 (view layout draw$4 frame)) and (CAD (computer-aid$3 adj (draw$4 design$4))(computer adj aid$3 adj (draw$4 design$4)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/29 09:44
S16 2	209	((multipl$4 multiplicit$4 plural$4 pluralit$4 several two three second) near2 (view draw$4 frame)) same layout and (CAD (computer-aid$3 adj (draw$4 design$4))(computer adj aid$3 adj (draw$4 design$4)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/29 10:57
S16 3	349	((multipl$4 multiplicit$4 plural$4 pluralit$4 several two three second) near2 (view draw$4 frame)) and (CAD (computer-aid$3 adj (draw$4 design$4))(computer adj aid$3 adj (draw$4 design$4))) and select$4 with subset	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/29 09:45
S16 4	364	((multipl$4 multiplicit$4 plural$4 pluralit$4 several two three second) near2 (view draw$4 frame)) and (CAD (computer-aid$3 adj (draw$4 design$4))(computer adj aid$3 adj (draw$4 design$4))) and select$4 with (subset sub-set)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/29 09:45
S16 5	133	((multipl$4 multiplicit$4 plural$4 pluralit$4 several two three second) near2 (view draw$4 frame)) and (CAD (computer-aid$3 adj (draw$4 design$4))(computer adj aid$3 adj (draw$4 design$4))) and filter$4 near2 (view frame)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/29 10:27

S16 6	5	S163 and S165	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/29 09:54
S16 7	4366	(2D 2-D two-dimension$4 2-dimension$4 (("2" two) adj dimension$4)) near2 (view frame) and (three-dimension$4 3-dimension$4 3D 3-D (("3" three) adj dimension$4)) near2 (view frame)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/29 11:14
S16 8	30054	(group set collection layout context) with (multipl$4 multiplicit$4 plural$4 pluralit$4 several two three) near2 (view draw$4 frame)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/29 09:58
S16 9	17	S165 and S167	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/29 09:58
S17 0	9	S163 and S167	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/29 10:01
S17 1	26	(S169 S170)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/29 10:13
S17 2	489	S167 and S168	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/29 10:13
S17 3	134	S172 and (sub-set subset)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/29 10:13
S17 4	54	S172 and (sub-set subset) same (select$4 choos$4 filter$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/29 10:17

EAST Search History

S17 5	43	S173 and (user-select$4 (user adj select$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/29 10:17
S17 6	6293	(multipl$4 multiplicit$4 plural$4 pluralit$4 several two three second) near2 (view draw$4 frame) adj set	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/29 10:27
S17 7	37	(multipl$4 multiplicit$4 plural$4 pluralit$4 several two three second) near2 (view draw$4 frame) adj set same (subset sub-set)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/29 10:53
S17 8	63	(multipl$4 multiplicit$4 plural$4 pluralit$4 several two three second) near2 (view draw$4 frame) adj set same select$4 with view$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/29 10:27
S17 9	59	S178 not S177	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/29 10:55
S18 0	121	S172 and (CAD (computer-aid$3 adj (draw$4 design$4))(computer adj aid$3 adj (draw$4 design$4)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/29 11:22
S18 1	121	S180 not (S178 S179)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/29 10:58
S18 2	23	S181 and (select$4 choos$4) near2 (layout "view set" grouping configur$7)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/29 11:10

EAST Search History

S18 3	13	(first initial main) near2 viewport and S167	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/29 11:11
S18 4	103	(choos$4 select$4) with (2D 2-D two-dimension$4 2-dimension$4 (("2" two) adj dimension$4)) near2 (view frame) and (choos$4 select$4) with(three-dimension$4 3-dimension$4 3D 3-D (("3" three) adj dimension$4)) near2 (view frame)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/29 11:16
S18 5	17	S184 and (subset sub-set "sub set" sub-group "sub group" subgroup)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/29 11:17
S18 6	88	(CAD (computer-aid$3 adj (draw$4 design$4))(computer adj aid$3 adj (draw$4 design$4))) and (Dassault Dassault$ Dassault-$).as.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/29 11:35
S18 7	88	S186 and fd>="19990913"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/29 11:48
S18 8	28	S186 and @ad<"19990913"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/29 11:50
S18 9	3	S188 and S168	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/29 11:51

EAST Search History

S19 0	16	(US-20060106757-$ or US-20060188137-$ or US-20020054142-$).did. or (US-6085202-$ or US-6564246-$ or US-6104401-$ or US-5917483-$ or US-5852442-$ or US-5847708-$ or US-5555369-$ or US-5990897-$ or US-5701403-$ or US-6078308-$ or US-5428715-$ or US-5544301-$ or US-6344862-$).did.	US-PGPUB; USPAT	OR	ON	2006/11/29 14:14
S19 1	3	S190 and transform$7 near matri$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/29 13:40
S19 2	12	(select$4 choos$4 pick$4 decid$4 opt) near3 (group subset specific) near view same (new different) with (window frame)	US-PGPUB; USPAT	OR	ON	2006/11/29 14:19
S19 3	12	(select$4 choos$4 pick$4 decid$4 opt) near3 (group subset specific sub-set subgroup sub-group) near view same (new different) with (window frame)	US-PGPUB; USPAT	OR	ON	2006/11/29 14:40
S19 4	240	(rotat$5 shift$4 translat$4) near2 view with window	US-PGPUB; USPAT	OR	ON	2006/11/29 14:40
S19 5	13	(rotat$5 shift$4 translat$4) near2 (plural$4 pluralit$4 multipl$4 multiplicit$4 few several many three) near2 view with window	US-PGPUB; USPAT	OR	ON	2006/11/29 14:44
S19 6	124	(rotat$5 shift$4 translat$4 arrang$6) near2 (plural$4 pluralit$4 multipl$4 multiplicit$4 few several many three) near2 view with (new different)	US-PGPUB; USPAT	OR	ON	2006/11/29 14:45
S19 7	189	(arrang$6 group$4 set collection) near2 (plural$4 pluralit$4 multipl$4 multiplicit$4 few several many three) near2 view with (new different)	US-PGPUB; USPAT	OR	ON	2006/11/29 14:46
S19 8	377	(arrang$6 group$4 set collection) near2 (plural$4 pluralit$4 multipl$4 multiplicit$4 few several many three) near2 view same (new different)	US-PGPUB; USPAT	OR	ON	2006/11/29 15:11

S19 9	4	(rotat$4 rearrang$4 shift$4 transform$4 transformat$4 re-arrang$4) with (arrang$6 group$4 set collection) near2 (plural$4 pluralit$4 multipl$4 multiplicit$4 few several many three) near2 view same (new different)	US-PGPUB; USPAT	OR	ON	2006/11/29 14:48
S20 0	204	(arrang$6 group$4 set collection) near2 (plural$4 pluralit$4 multipl$4 multiplicit$4 few several many three) near2 view same (new different) with (arrang$5 group$4 set collection)	US-PGPUB; USPAT	OR	ON	2006/11/29 14:49
S20 1	206	(arrang$6 group$4 set collection) near2 (plural$4 pluralit$4 multipl$4 multiplicit$4 few several many three) near2 view same (new different subset) with (arrang$5 group$4 set collection)	US-PGPUB; USPAT	OR	ON	2006/11/29 14:52
S20 2	1	(arrang$6 group$4 set collection) near2 (plural$4 pluralit$4 multipl$4 multiplicit$4 few several many three) near2 view same (new different) with (arrang$5 group$4 set collection) same subset	US-PGPUB; USPAT	OR	ON	2006/11/29 14:51
S20 3	23	(arrang$6 group$4 set collection) near2 (plural$4 pluralit$4 multipl$4 multiplicit$4 few several many three) near2 view same (creat$4 generat$4 make mak$3 display$4) with (new different subset) with (arrang$5 group$4 set collection)	US-PGPUB; USPAT	OR	ON	2006/11/29 14:54
S20 4	20	Knighton-M$.in. and @ad<="19990913"	US-PGPUB; USPAT	OR	ON	2006/11/29 14:55
S20 5	8	Knighton-M$.in. and GUI	US-PGPUB; USPAT	OR	ON	2006/11/29 14:55
S20 6	1	"5115494".pn.	US-PGPUB; USPAT	OR	ON	2006/11/29 15:01
S20 7	3668	(arrang$6 group$4 set collection) near2 (plural$4 pluralit$4 multipl$4 multiplicit$4 few several many three) near2 view	US-PGPUB; USPAT	OR	ON	2006/11/29 15:16
S20 8	50140	(CAD ((computer-aid$4 computer-assist$4) adj (design$4 draw$3))(computer adj (assist$4 aid$3) adj (design$4 draw$4)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/29 15:14

S209	77	S207 and S208	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/29 15:14
S210	1433	(generat$4 creat$4 mak$4 produc$4 display$4) with (new different limited smaller) near4 (set collection group$4 viewset layout context) with view	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/29 15:16
S211	3990	(arrang$6 group$4 set collection context layout) near2 (plural$4 pluralit$4 multipl$4 multiplicit$4 few several many three) near2 view	US-PGPUB; USPAT	OR	ON	2006/11/29 15:18
S212	4	S211 and S208 and S210	US-PGPUB; USPAT	OR	ON	2006/11/29 15:19
S213	90	S211 and S208	US-PGPUB; USPAT	OR	ON	2006/11/29 15:18
S214	79	S208 and S210	US-PGPUB; USPAT	OR	ON	2006/11/29 15:18
S215	25	(US-20060106757-$ or US-20060188137-$ or US-20020054142-$ or US-20050228250-$).did. or (US-6707454-$ or US-5986662-$ or US-6078308-$ or US-5544301-$ or US-6867788-$ or US-5917483-$ or US-5555369-$ or US-6104401-$ or US-6564246-$ or US-5701403-$ or US-6085202-$ or US-5990897-$ or US-5428715-$ or US-5847708-$ or US-6344862-$ or US-5852442-$ or US-5828575-$ or US-6134338-$ or US-5821941-$ or US-6054987-$ or US-5867168-$).did.	US-PGPUB; USPAT	OR	ON	2006/11/29 15:22
S216	84	S213 not S215	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/29 15:22
S217	1395	Zimmerman-M$.xa,xp. and "345"/$. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/30 08:58
S218	334	S217 and @ad>="19850101"<="19950101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/30 08:59

EAST Search History

S21 9	28	S218 and 345/427.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/30 08:59
S22 0	237	S217 and (CAD ((computer-aid$4 (computer adj aid$3)) adj (design draw$4)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/30 09:01
S22 1	71	S220 and S218	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/30 09:01
S22 2	11	S220 and S219	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/30 09:04
S22 3	71	S218 and S221	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/30 09:01
S22 4	60	S221 not S222	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/30 09:04